

OUR CONTAINERS

mediterranean
LOGISTICS
SOLUTIONS

TARROS GROUP | SINCE 1828 | www.tarros.it



TARROS GROUP

CITY	COUNTRY	NAME TERMINAL
ALEXANDRIA	EGYPT	MED EGYPT DEPOT
		MED EGYPT WORKSHOP
ALGIERS	ALGERIA	CARTENNAS
CASABLANCA	MOROCCO	TARROS MAROC
LA SPEZIA	ITALY	TERMINAL DEL GOLFO
LA SPEZIA	ITALY	CARBOX HUB

LEGEND

= Tarros Workshop

= Tarros Depot

= Tarros Depot & Repair Workshop

TARROS NETWORK SOLUTIONS

TARROS QUALITY SURVEY

Check list for Tarros warehouse,
to be carried out or the inspection
of each container of the Company:

- ✓ **CLEANING**
- ✓ **ROOF**
- ✓ **DOOR**
- ✓ **FLOOR**
- ✓ **SIDE AND FRONT WALLS**
- ✓ **UNDER-STRUCTURE**
- ✓ **SIDE RAILS** (top, bottom, end)
- ✓ **END FRAMES** (front and rear)
- ✓ **CORNER POSTS**
- ✓ **LASHING RINGS**

CONTAINER CERTIFIED TARROS

Example of cargo: europallets m 0.80 x 1.20, weight 800 Kg/pallet
Comparing a 40' PALLETWIDE to a 40' DRYBOX


40' DRYBOX
25 pallets > 20,000 Kg

40' PALLETWIDE
30 pallets (+20%) > 24,000 Kg (+20%)

In 40' PALLETWIDE pallets are also better stowed and cannot move during transport.

20' / 40' STANDARD DRY VAN

TARROS code: **20' BX / 40' BX**
ISO code: 22G1 / 42G1



INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	28,180 kg 26,630 kg	Height	2,394 mm
Tare	2,300 kg 3,850 kg	Width	2,350 mm
Capacity	33.2 cu.m. 67.7 cu.m.	Length	5,897 mm 12,030 mm

40' HIGH CUBE DRY

TARROS code: **40' HC**
ISO code: 45G1



YELLOW SERIES		INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	26,280 kg	Max Payload	29,000 kg	Height	2,699 mm
Tare	4,200 kg	Tare	4,000 kg	Width	2,350 mm
Capacity	76.3 cu.m.	Length	12,030 mm	Width	2,338 mm

20' REEFER


TARROS code: **20' RF**
ISO code: 22R1



INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	27,590 kg	Height	2,273 mm
Tare	2,890 kg	Width	2,294 mm
Capacity	28.4 cu.m.	Length	5,456 mm

40' REEFER HIGH CUBE

TARROS code: **40' RH**
ISO code: 45R1



INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	29,900 kg	Height	2,505 mm
Tare	4,100 kg	Width	2,286 mm
Capacity	66.1 cu.m.	Length	11,557 mm

40' PALLET WIDE - SEA CELL

TARROS code: **40' SC**



INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	29,900 kg	Height	2,389 mm
Tare	4,100 kg	Width	2,426 mm
Capacity	70.1 cu.m.	Length	12,100 mm

40' PALLET WIDE - SEA CELL HIGH CUBE

TARROS code: **40' SH**
ISO code: 4EG1



INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	29,850 kg	Height	2,694 mm
Tare	4,150 kg	Width	2,426 mm
Capacity	79.3 cu.m.	Length	12,100 mm

45' HIGH CUBE PALLET WIDE

TARROS code: **40' H5**
ISO code: LEG1



INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	29,270 kg	Height	2,670 mm
Tare	4,730 kg	Width	2,430 mm
Capacity	88.0 cu.m.	Length	13,510 mm

40' SUPER HIGH PALLET WIDE

TARROS code: **40' SA**
ISO code: 4FGB



INTERNAL DIMENSIONS		EXTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	26,020 kg	Height	2,885 mm	Height	3,083 mm
Tare	4,460 kg	Width	2,417 mm	Width	2,462 mm
Capacity	84.4 cu.m.	Length	12,100 mm	Length	12,192 mm

20' OPEN TOP TARROS code: 20' OT



INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	28,250 kg	Height	2,351 mm
Tare	2,230 kg	Width	2,350 - 2,230 mm *ABOVE 2,104 mm
Capacity	32.0 cu.m.	Length	5,890 mm
		Height	2,279 mm
		Width	2,338 - 1,948* mm *ABOVE 2,279 mm

20' OPEN TOP HIGH CUBE TARROS code: 20' OH ISO code: 25U1



INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	28,130 kg	Height	2,656 mm
Tare	2,350 kg	Width	2,350 - 2,230 mm *ABOVE 2,104 mm
Capacity	36.7 cu.m.	Length	5,890 - 5,795 mm *ABOVE 2,104 mm
		Height	2,279 mm WITH SWINGING HEADER CLOSED
		Width	2,338 - 1,948* mm *ABOVE 2,279 mm

40' OPEN TOP TARROS code: 40' OT ISO code: 42U1



INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	26,780 kg	Height	2,351 mm
Tare	3,700 kg	Width	2,350 - 2,230 mm *ABOVE 2,104 mm
Capacity	67.0 cu.m.	Length	12,024 mm
		Height	2,278 mm
		Width	2,338 - 1,948* mm *ABOVE 2,279 mm

40' OPEN TOP HIGH CUBE TARROS code: 40' OH ISO code: 45U1



INTERNAL DIMENSIONS		DOOR DIMENSIONS	
Max Payload	26,480 kg	Height	2,656 mm
Tare	4,000 kg	Width	2,350 - 2,230 mm *ABOVE 2,288 mm
Capacity	75.0 cu.m.	Length	12,024 mm
		Height	2,584 mm WITH SWINGING HEADER CLOSED
		Width	2,338 - 1,948* mm *ABOVE 2,584 mm

20' FLAT RACK TARROS code: 20' FK ISO code: 22P3




INTERNAL DIMENSIONS		BETWEEN CORNER POST		COLLAPSED	
Max Payload	31,220 kg	Height	2,233 mm	Base	370 mm
Tare	2,780 kg	Width	2,174 mm	Length	5,638 mm
		Length	6,042 mm		

40' FLAT RACK TARROS code: 40' FK ISO code: 42P3




INTERNAL DIMENSIONS		BETWEEN CORNER POST		COLLAPSED	
Max Payload	40,500 kg	Height	1,955 mm	Base	648 mm
Tare	4,950 kg	Width	2,380 mm	Length	11,778 mm
		Length	12,176 mm		

40' FLAT RACK HIGH CUBE TARROS code: 40' FH ISO code: 45P3



INTERNAL DIMENSIONS		BETWEEN CORNER POST		COLLAPSED	
Max Payload	39,300 kg	Height	2,220 mm	Base	648 mm
Tare	5,700 kg	Width	2,370 mm	Length	11,840 mm
		Length	12,118 mm		

20' / 40' PLATFORM TARROS code: 20' FL / 40' FL ISO code: 29P0 / 49P0



INTERNAL DIMENSIONS		BETWEEN CORNER POST	
Max Payload	28,680 kg 40,700 kg	Base	370 mm 625 mm
Tare	1,800 kg 4,300 kg	Width	2,438 mm 2,380 mm
		Length	5,730 mm 11,765 mm
		Length	6,058 mm 12,192 mm

18+1: TAILOR-MADE FOR YOU

We can supply our customers with 18 different container types, flat rack and platforms to meet any needs in terms of volume, goods' shape and weight. But, that's not all: if a new stowage and transport system is required, thanks to our long-standing experience we can study ad hoc solutions that would meet all your needs. That is why, we like to say that we can supply 18 different container types plus one: tailor-made for you.

The declared dimensions are an average of those provided by the manufacturers. Values are for information only.

LA SPEZIA*HEADQUARTER*

Via Privata Enel - 19126 La Spezia - Italy
ph. +39 0187 5371 - fax +39 0187 537325
info@tarros.it

Follow **tarrosgroup** on:



www.tarros.it